



Presto Stantest Pvt. Ltd.

I-42, DLF Industrial Area Phase-1, Delhi Mathura Road, Faridabad 121003, Haryana, India
P : 9210 903 903, +91 129 4272727, 93111 24302 E : info@prestogroup.com

- Faridabad • Kolkata • Mumbai • Pune • Ahmedabad
- Chennai • Bangalore • Hyderabad




Torque Tester – Analogue




Model No. PTT-0103

Torque Tester Analogue is a consistent tool to measure the force or torque required to open a closed cap of PET bottle/Jars. It gives Torque in analogue format. The analogue display is a high end sophisticated read out with pointer adjusting knob. The test sample is placed in between the anti-slip holders/pegs for strong holding of test sample.


- Strong clamping pegs/holders for zero slip gripping support
- In-house calibration facility
- Compact and light-weight, easy to move.
- Adjustable clamping mechanism to hold different size of bottles
- Highly accurate torque scale



Top View



Front View



Side View



Presto Stantest Pvt. Ltd.

I-42, DLF Industrial Area Phase-1, Delhi Mathura Road, Faridabad 121003, Haryana, India
P : 9210 903 903, +91 129 4272727, 93111 24302 E : info@prestogroup.com

- Faridabad • Kolkata • Mumbai • Pune • Ahmedabad
- Chennai • Bangalore • Hyderabad



The instrument is used for testing the opening force of the PET bottles when subjected to a load under twisting. The equipment is handy and can be carried on the shop floor as well as be placed inside the laboratory. The unique self-adjusting holding fixture can easily accommodate any shape and size of bottle with zero slip guaranteed.

Key Specifications:

| | |
|---------------------------------------|-----------------------------------|
| Max.Torque Range | 20 lb. inch |
| Accuracy | ± 1 lb. inch (with master weight) |
| Least Count/Resolution | 1 lb-inch |
| Minimum Diameter for specimen holding | 30 mm |
| Maximum Diameter for specimen holding | 110 mm |
| Max.size of test bottles to be tested | 2.5 litres |
| Weights for Calibration | 10 lbs, 20 lbs (Optional Part) |
| Unit | lb. Inch / Nm |

Highlights:

| | |
|------------------------------------|--|
| Standard weights (for calibration) | 2 (Optional) |
| Material | Mild Steel |
| Clamping | Manual |
| Finish | Powder coated Black combination finish and bright chrome / zinc plating for corrosion resistant finish |
| Dimensions | 215x415x155 mm |
| Pag Pin | Changable Position |

Optional :

- Calibration Kit with master weight optional part.
- Torque Tester Motorised with inbuilt calibration kit also available on request.
- Digital Torque Tester models available in various range on request.

Thank you customers for choosing us as your partners in growth !



*All the above logos are the sole property of their respective owners and are used purely for depiction purposes only.

OUR OTHER PRODUCTS :-

| | | | | | |
|-----------------|----------------------|----------------------|---------------------|-------------------------|---------------------|
| | | | | | |
| Top Load Tester | Wall Thickness Gauge | Gloss Meter Triangle | Eccentricity Tester | Moisture Analyzer MB 45 | Preform Neck Cutter |

